

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1645	(executable)(BLOB or CryptDeriveKey)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:15
L2	3	(executable)(BLOB or CryptDeriveKey)(pass\$phrase or pass\$key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:15
L3	322	(executable or SSL)(BLOB or CryptDeriveKey)(pass\$phrase or pass\$key or wrap\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:16
L4	83	L3 (unlock\$4 or wrap\$4)same (pass\$phrase or key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:17
L5	81	L4 (service or partner or provisioning)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:18
L6	23	L4 (service or partner or provisioning or credential).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:18
L7	81	L4 (service or partner or provisioning or SSL)(credential or key)same(wrap\$4 or encrypt\$4 or lock\$4 or unlock\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:20
L8	1	L4 (credential)same(wrap\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:20
L10	70	L4 (credential or authentication) same(wrap\$4 or lock\$4 or encrypt \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:22
L11	3	L10(BLOB or binary) (CryptDeriveKey or pass\$phrase)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:23
L12	4151	(credential or authentication)same (wrap\$4 or lock\$4 or encrypt\$4). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:24
L13	11	L12(BLOB or binary or executable).clm.(CryptDeriveKey or pass\$phrase or key).clm.(pass \$phrase or pass\$key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:25

L14	2	("2001/0014158").URPN.	USPAT	AND	ON	2008/06/06 18:27
L15	1	(US-20010014158-\$).did.	US-PGPUB	AND	ON	2008/06/06 18:28
L17	4	"6154543"	US-PGPUB	AND	ON	2008/06/06 18:31
L18	1964	(380/277,281,282).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/06 18:34
L19	4551	(713/179,182,185,193).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/06 18:34
L20	3266	(726/6,8,9,14,26).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/06 18:35
L21	9003	L18 or L20 or L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:35
L22	3	L20 (credential or authentication or certificate or key)same(wrap\$4 or lock\$4 or encrypt\$4 or unlock \$4)same(pass\$phrase or pass \$key).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:36
L23	3	L20 (credential or authentication or certificate or key)same(wrap\$4 or lock\$4 or encrypt\$4 or unlock \$4 or decrypt\$4)same(pass \$phrase or pass\$key).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:37
L24	19	L20 (credential or authentication or certificate or key)same(wrap\$4 or lock\$4 or encrypt\$4 or unlock \$4 or decrypt\$4)same(pass \$phrase or pass\$key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:37
L25	7	L24(executable or BLOB or CryptDeriveKey)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:37
L26	3	L24(executable or BLOB or CryptDeriveKey or wrap\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:37
L28	5	L23 or L26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:38
L29	1	L23 L26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/06 18:39

S1	11	(steven near grobman).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/16 16:15
S2	3	(713/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/15 18:23
S3	296	(713/169).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/15 18:24
S4	299	S2 S3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 18:24
S5	1	S4 (intranet or VPN)((external or untrusted or outside or insecure) near (client or source or user or request\$5))((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit)) (LDAP or directory or ACL or ACL or SA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:29
S6	834	(intranet or VPN)((external or untrusted or outside or insecure) near (client or source or user or request\$5))((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit)) (LDAP or directory or ACL or ACL or SA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:30
S7	49	(intranet or VPN)((external or untrusted or outside or insecure) near (client or source or user or request\$5))(((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit))).clm.(LDAP or directory or ACL or ACL or SA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:30

S8	44	((authenticat\$5 or verification or verifier or control\$5 or security or manager or administrator)near (server or module or unit or determining or checking or verifying))((external or untrusted or outside or insecure)near (client or source or user or request\$5))(((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit))).clm.(LDAP or directory or ACL or ACI or SA)((communication or standard or secure or encrypted or encoded or insecure or protected)near (path or channel\$5 or port or link or medium))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:36
S9	622	((authenticat\$5 or verification or verifier or control\$5 or security or manager or administrator)near (server or module or unit or determining or checking or verifying))((external or untrusted or outside or insecure)near (client or source or user or request\$5))(((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit)))(LDAP or directory or ACL or ACI or SA)((communication or standard or secure or encrypted or encoded or insecure or protected)near (path or channel \$5 or port or link or medium))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:37
S10	280	((authenticat\$5 or verification or verifier or control\$5 or security or manager or administrator)near (server or module or unit or determining or checking or verifying))((external or untrusted or outside or insecure)near (client or source or user or request\$5))(((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:39

		restriction or grant or access or authorization)near (level or limit))) (LDAP or directory or ACL or ACL or SA)((communication or standard or secure or encrypted or encoded or insecure or protected)near (path or channel \$5 or port or link or medium)) (intranet or VPN)(prox\$5 or virtual)				
S11	8	((authenticat\$5 or verification or verifier or control\$5 or security or manager or administrator)near (server or module or unit or determining or checking or verifying)).clm.((external or untrusted or outside or insecure) near (client or source or user or request\$5))(((credential or token or verification or authenticat\$5 or security or control or access)near (source or client or user or data or information))((authenticat\$5 or permission or security or restriction or grant or access or authorization)near (level or limit))).clm.(LDAP or directory or ACL or ACL or SA) ((communication or standard or secure or encrypted or encoded or insecure or protected)near (path or channel\$5 or port or link or medium))(intranet or VPN) (prox\$5 or virtual)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2006/03/15 18:40
S12	6959	((receiving or sending or transmitting or providing) same (authorization or authentication or message or request)same (mobile or portable)near(device))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/03/21 16:02
S13	29	(optimal or maximiz\$4).clm. (certificate or revocation).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:19
S14	159	(optimal or maximiz\$4)(certificate or revocation).clm.(tree or chained)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:20
S15	12	(optimal or maximiz\$4)(certificate same revocation).clm.(tree or chained)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:21
S16	2	(optimal or maximiz\$4)(certificate same revocation).clm.(tree or chained)(rudantant or cover or set).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:31

S17	0	(optimal or maximiz\$4)same (SET OR COVERING).CLM.(certificate same revocation).clm.(tree or chained)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:34
S18	0	(optimal or maximiz\$4)same (SET OR COVERING)(certificate same revocation).clm.(tree or chained)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:34
S19	103286	(optimal or maximiz\$4)same (SET OR COVERING)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:35
S20	1423	(optimal or maximiz\$4)same (SET OR COVERING)SAME(tree or chained)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:36
S21	36	S20(certificate OR revocation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 17:36
S22	1	10/167992	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:20
S23	1	"6905414".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:22
S24	1	S23 (user or friend or player)same (persistent or dynamic\$4 or profile or stor\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:23
S25	1	S23 (user or friend or player)same (persistent or dynamic\$4 or profile or stor\$4)same(stor\$4 or player)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:24
S26	1	S23 (user or friend)same (persistent or dynamic\$4 or profile or stor\$4)same(stor\$4 or player)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:24
S27	0	S23 (friend)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:32
S28	1	S23 (user or player)same(server or queue or network)same(identi\$4 or stor\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:39
S29	1	S23 (user or player or load\$4)same(server or queue or network)same(identi\$4 or stor\$4 or load\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:40

S30	1	S23 (user or player or load\$4) same(server or queue or network) same(identi\$4 or stor\$4 or load \$4)(identi\$4 or reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 18:46
S31	1	S23 (user or player or identi\$4 or reference)same(number or numeral)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 19:18
S32	1	S23 (game) same(idenif\$4 or specific)same(reference or designer or unique)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 19:25
S33	1	S23 (queues)same(notif\$4 or communicat\$4)same(network or user or player)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 19:42
S34	1	S23 (address)same(player or user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 20:01
S35	2861	(VOIP)same(address)same (qualified or URL or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 20:03
S36	1202	(VOIP)same(address)same (qualified or URL or IP)same (communicat\$4)same(network or user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 20:03
S37	20	S36 (fully near qualified)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 20:04
S38	2	10/328522	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 21:41
S39	0	S38 (access adj point).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 21:42
S40	0	S38 (access near point).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 21:43
S41	2	S38 (Access same Point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/06/05 21:44

6/ 6/ 2008 6:44:01 PM

C:\Documents and Settings\sabedin\My Documents\EAST\Workspaces\PCT0771376.wsp